



Neptune

Security Products



CONTENTS

COMPANY PROFILE	02
MAGLOCKS	03 - 04
MAGLOCK PARTS AND COMPONENTS	05 - 06
KEYPADS	07
RECEIVERS	08
REMOTES	09
CAT6 PATCH LEADS	10
GLASS BREAK CALL POINTS	11
TOOLS	12
WIRELESS CAMERA KIT	13 - 14
REED SWITCHES	15
EXIT BUTTONS	16 - 19
TOUCHLESS EXIT BUTTONS	20 - 21
POWER SUPPLIES	22
FOBS	23 - 24



Neptune

Security Products

Established 2014

Neptune offers the latest products to meet the ever changing demands for security and convenience in daily life.

Neptune Security Products was formed to meet the growing demand for high quality, affordable and easy to install security options for almost any location & application.

Dedicated to providing the latest in security innovations, Neptune are constantly sourcing from a large group of cutting edge manufacturers around the world, ensuring we offer the most up to date technology, excellent levels of product performance, user convenience, and modern styling.

“ We had used Neptune standalone keypads in the past, especially in outdoor applications and we found them to be a good robust solution. When our Account Manager suggested the Neptune touchless range, we thought this is a great idea as we had some previous experience and faith in the brand. Neptune touchless exit buttons allow us to offer a ‘no touch’ option to exit solutions. It’s our default go-to now for all applications now. ”

*Anthony Payne
Omega Security Solutions*



*For more info visit
neptunesecurityproducts.com.au*

IDEAL FOR

Our diverse range of security products are ideal for locations such as; aged care facilities, commercial offices, home offices, homes, warehouses, sporting facilities, retail outlets, shopping centres and hospitals.



HOMES



HOSPITALS



WAREHOUSES



AGED CARE



SPORT FACILITY



OFFICES

MAGLOCKS

Neptune will have everything covered with our range of electro magnetic locks (Maglocks) and accessories.

Options include single door versions, double door versions, weather proof versions and a full range of accessories to suit all the different variations.

280 SERIES

280KG
HOLDING FORCE



**Single Door Maglock, Monitored
[Satin Anodised Aluminium Housing]**

NEML280M

500 SERIES

500KG
HOLDING FORCE



**Single Door Maglock, Monitored
[Satin Anodised Aluminium Housing]**

NEML500M

280KG
HOLDING FORCE



**Double Door Maglock, Monitored
[Satin Anodised Aluminium Housing]**

NEML280DM

500KG
HOLDING FORCE



**Double Door Maglock, Monitored
[Satin Anodised Aluminium Housing]**

NEML500DM

280KG
HOLDING FORCE

WATERPROOF



**Single Door Maglock, Monitored
[Stainless Steel Housing]**

NEWML280M

500KG
HOLDING FORCE

WATERPROOF



**Single Door Maglock, Monitored
[Stainless Steel Housing]**

NEWML500M

MAGLOCKS

MATT BLACK RANGE

End-users want their security products to be stylish as well as functional.

Recognising this, Neptune launched a chic range of black maglocks in 2020. Install these striking black maglocks on white doors to create an eye-catching contrast.



280 SERIES

280KG
HOLDING FORCE



**Single Door Maglock, Monitored
[Matt Black Aluminium Housing]**

NEML280MB

500 SERIES

500KG
HOLDING FORCE



**Single Door Maglock, Monitored
[Matt Black Aluminium Housing]**

NEML500MB

280KG
HOLDING FORCE



**Double Door Maglock, Monitored
[Matt Black Aluminium Housing]**

NEML280DMB

500KG
HOLDING FORCE



**Double Door Maglock, Monitored
[Matt Black Aluminium Housing]**

NEML500DMB

MAGLOCKS

PARTS & COMPONENTS




**L Bracket to suit
NEML280M**

NEMLB2



**L Bracket to suit
NEML280MB, Black**

NEMLB2B



**L&Z Bracket to suit
NEML280M**

NEMLB3



**L&Z Bracket to suit
NEML280MB, Black**

NEMLB3B




**L Bracket to suit
NEML500M**

NEMLB5



**L Bracket to suit
NEML500MB, Black**

NEMLB5B



**L&Z Bracket to suit
NEML500M**

NEMLB6



**L&Z Bracket to suit
NEML500MB, Black**

NEMLB6B



**U Bracket to suit
NEML280M**

NEMLB7



**U Bracket to suit
NEML280MB, Black**

NEMLB7B

**Packing Plate to suit
NEML280M**

NEMLP1



**Packing Plate to suit
NEML280M, Black**

NEMLP1B



**Packing Plate to suit
NEML280DM**

NEMLP2



**Packing Plate to suit
NEML280DM, Black**

NEMLP2B



**Packing Plate to suit
NEML500M**

NEMLP3



**Packing Plate to suit
NEML500M, Black**

NEMLP3B



**Packing Plate to suit
NEML500DM**

NEMLP4



**Packing Plate to suit
NEML500DM, Black**

NEMLP4B



**Z Bracket to suit
NEWML280M,
Waterproof**

NEWMLB1



**Z Bracket to suit
NEWML500M,
Waterproof**

NEWMLB2



KEYPADS

Neptune offers a range of keypads to suit all applications. These versatile, cost effective keypads are a multi-function access controller, and include Reader mode, Single-door mode, Double-door mode, Interlock mode, and Demo mode (modes vary on different models).

The Keypads integrated readers can handle multiple card formats, fully potted electronics provide protection of IP65 to IP68 and Keypads can manage between 2000 and 20000 users.

Have an existing Access Control system?
No problems. Neptune keypads can connect to any system by Wiegand mode.



-  IP68
-  20,000 USERS
-  EXTREME WEATHER
-  ANTI VANDAL



Keypad EM/HID Standalone or Wiegand (3 X 4)
ACKPW6K

-  IP68
-  2000 USERS
-  EXTREME WEATHER
-  ANTI VANDAL



Keypad EM-PROX Standalone (2 x 6)
ACKPW1C

Coming Soon!




NEKPWST2S | NEKPWST2W

-  IP65
-  2000 USERS
-  WEATHER RESISTANT
-  ANTI VANDAL



Touch Keypad, EM/HID Standalone or Wiegand (2 x 6)
ACKPWST

-  IP65
-  2000 USERS
-  WEATHER RESISTANT
-  ANTI VANDAL



Keypad Button EM/HID Standalone or Wiegand (2 x 6)
ACKPWSK

Neptune receivers and remotes offer great versatility for wireless solutions covering external gates, electric strikes and maglocks, alarms and garage doors. The receivers can control up to 6 different devices per unit or utilise up to 4 devices with the ability to use channels 5 and or 6 as a dual press zone such as duress.



**6 Channel, 6 Form-C, Multi-Code
RF Receiver**
NEREC6M



**6 Channel, Wiegand, Multi-Code
RF Receiver**
NEREC6MW



**6 Channel, 6 Form-C, Multi-Code
RF Receiver, IP65 Housing**
NEREC6IPM



**6 Channel, Wiegand, Multi-Code
RF Receiver, IP65 Housing**
NEREC6IPMW

REMOTES

The Neptune remotes are available in 2 button, and 4 button configurations with or without slide cover. They also have the ability to be produced with various forms of programmable access control coils such as iClass, Mifare S50 and EM / HID format for seamless integration.

2 button



**3 Channel,
RF Remote**

NEF2B

ALSO AVAILABLE

EM Prox Tag NEF2B1WEMP

iClass Tag NEF2B1WIC

1K Mifare Tag NEF2B1W1K

HID Prox Tag NEF2B1WHIDP

4 button



**6 Channel,
RF Remote**

NEF4B

ALSO AVAILABLE

EM Prox Tag NEF4B1WEMP

iClass Tag NEF4B1WIC

1K Mifare Tag NEF4B1W1K

HID Prox Tag NEF4B1WHIDP

4 button



**6 Channel,
RF Remote
with Slide
Cover**

NEF4S

ALSO AVAILABLE

EM Prox Tag NEF4S1WEMP

iClass Tag NEF4S1WIC

1K Mifare Tag NEF4S1W1K

HID Prox Tag NEF4S1WHIDP

CAT6 LEADS

PATCH LEADS



Cat6 Ultra Thin Patch Lead, 15cm [Orange] NEC6U015OR

ALSO AVAILABLE

25cm NEC6U025OR **2m** NEC6U200OR
50cm NEC6U050OR **3m** NEC6U300OR
1m NEC6U100OR **5m** NEC6U500OR
1.5m NEC6U150OR



Cat6 Ultra Thin Patch Lead, 15cm [White] NEC6U015WH

ALSO AVAILABLE


25cm NEC6U025WH **2m** NEC6U200WH
50cm NEC6U050WH **3m** NEC6U300WH
1m NEC6U100WH **5m** NEC6U500WH
1.5m NEC6U150WH



Cat6 Ultra Thin Patch Lead, 15cm [Blue] NEC6U015BL

ALSO AVAILABLE

25cm NEC6U025BL **2m** NEC6U200BL
50cm NEC6U050BL **3m** NEC6U300BL
1m NEC6U100BL **5m** NEC6U500BL
1.5m NEC6U150BL



Cat6 Ultra Thin Patch Lead, 15cm [Red] NEC6U015RD

ALSO AVAILABLE


25cm NEC6U025RD **2m** NEC6U200RD
50cm NEC6U050RD **3m** NEC6U300RD
1m NEC6U100RD **5m** NEC6U500RD
1.5m NEC6U150RD



Cat6 Ultra Thin Patch Lead, 15cm [Yellow] NEC6U015YE

ALSO AVAILABLE

25cm NEC6U025YE **2m** NEC6U200YE
50cm NEC6U050YE **3m** NEC6U300YE
1m NEC6U100YE **5m** NEC6U500YE
1.5m NEC6U150YE



Cat6 Ultra Thin Patch Lead, 15cm [Green] NEC6U015GN

ALSO AVAILABLE

25cm NEC6U025GN **2m** NEC6U200GN
50cm NEC6U050GN **3m** NEC6U300GN
1m NEC6U100GN **5m** NEC6U500GN
1.5m NEC6U150GN

PATH LEADS



Cat6 Path Lead, 50cm [Blue] NEC6050BL

ALSO AVAILABLE

1m NEC6100BL **10m** NEC61000BL
1.5m NEC6150BL **20m** NEC62000BL
2m NEC6200BL **30m** NEC63000BL
5m NEC6500BL



Cat6 Path Lead, 50cm [Red] NEC6050RD

ALSO AVAILABLE

1m NEC6100RD **10m** NEC61000RD
1.5m NEC6150RD **20m** NEC62000RD
2m NEC6200RD **30m** NEC63000RD
5m NEC6500RD



Cat6 Path Lead, 50cm [Yellow] NEC6050YE

ALSO AVAILABLE

1m NEC6100YE **10m** NEC61000YE
1.5m NEC6150YE **20m** NEC62000YE
2m NEC6200YE **30m** NEC63000YE
5m NEC6500YE



Cat6 Path Lead, 50cm [Green] NEC6050GN

ALSO AVAILABLE

1m NEC6100GN **10m** NEC61000GN
1.5m NEC6150GN **20m** NEC62000GN
2m NEC6200GN **30m** NEC63000GN
5m NEC6500GN

GLASS BREAK CALL POINTS

The Neptune re-settable call points feature LED illumination, an internal buzzer, and three NO/NC relay outputs.

This triple-pole call-point ('break glass' unit) benefits from state-illumination, the optional internal sounder on the event of trigger and a re-settable window with no breakable glass, meaning you don't need to replace the glass each time the call point is triggered.



Resettable call point with LED light/buzzer, green

NECPLBGN



Resettable call point with LED light/buzzer, white

NECPLBWH




Reset Key to suit Call Point

NECPRK

RJ45 THROUGH CRIMP TOOL

NERJ45CPTOOL

Neptune Security Products has released a new RJ45 Through Crimp Tool. This versatile modular crimping tool is used with the Neptune NECAT5E6CP100, NECAT5ECP100, NECAT6CP100 through crimp connectors. It will save you time and money while ensuring your RJ45 connections perform.



RJ45 Crimp Connectors



Bag of 100 | NECAT5E6CP100

Features:

- Crimps and cuts through crimp connectors in one action
- Leaves a clean, flush trim finish on the connector termination
- Ratchet mechanism requires less hand force
- Perfect solution for Cat5e/6 solid or stranded cables
- Strips and cuts round cables

WIRE CUTTERS AND STRIPPERS

Neptune combination wire cutter and wire stripper is one of those essential tools. Fabricated from hardened steel with an attractive black oxide finish. Compact, lightweight in your hand and easy to manipulate. Spring-loaded Return Blades. No more fiddling around re-opening the jaws again and again after cutting or stripping your wire. The return springs do it for you...as they should saving you time.



Features:

- Cuts/Strips wire 30-10 AWG (0.5-4.0 mm).
- Designed with a wire looping hole and length scale.
- Equipped with an adjustable screw to accommodate various wire sizes.

NELSCWCS

WIRELESS CAMERA KIT

7" MONITOR & HD WIRELESS CAMERA

The Neptune surveillance kit “comes ready to use out of the box”. Just plug in the 7” touchscreen monitor, install and power up the IP66 HD Wireless Camera and your system is ready to go. Need more cameras? The system supports up to 4 cameras.

The Neptune surveillance kit allows remote live view and video playback via smartphones and tablets, as well as push notifications for alarm triggers and motion detection.

Camera

- HD 1080P
- MPEG 4 video compression
- IP66 weatherproof
- Up to 10 meters night vision
- Support 4 cameras
- ICR filter auto switch for real
- Day/Night vision
- Motion detected by using PIR sensor

System

- Remote access live video via smartphones or tablets
- Video playback via smartphones or tablets

Alert

- Motion activation
- Trigger alarm push notifications

Recording

- MicroSD support up to 256GB
- 5~15 seconds pre-recording
- Real time recording
- Playback allowed when recording
- Schedule and motion activation recording
- Automatic overwrite

Distance

- LoS 300m

Monitor


- 7-inch LCD touch screen
- Individually record clear HD or VGA quality video and audio

RF

- 2.4GHz, FHSS



NE7MHDWCB



WIRELESS CAMERA KIT

HD WIRELESS CAMERA 2.4GHz



The Neptune Wireless Camera features HD 1080P image quality, 10m night vision, IP66 rating, and motion detection via the on board PIR sensor.

A maximum of 4 cameras can be added to the Neptune surveillance kit providing an easy and simple to use camera solution.

Features

- HD 1080P
- MPEG 4 video compression
- IP66 weatherproof
- Up to 10 meters night vision
- Support 4 cameras
- ICR filter auto switch for real Day/Night vision
- Motion detected by using PIR sensor



Coming Soon!

Black Finish



This camera works with:
Neptune Surveillance Kit
NE7MHDWCB

NEHDWCB

REED SWITCHES

Neptune Security Products offer a range of reed switches to suit many different applications. There are concealed versions where aesthetics is front of mind, or rugged sealed units where they are being installed in commercial and industrial environments. All reed switches have been tested for more that 100,000 cycles and come with a 1 year warranty.

5 PACK



Concealed 10mm Reed Switch, White

NECMR10W5


5 PACK



Concealed 20mm Reed Switch, White

NECMR20W5

5 PACK



Surface Mount Mini Reed Switch, White

NESMMRW

5 PACK



Surface Mount Reed Switch, NC/NO, White

NESMRCOW

5 PACK



Surface Mount Reed Switch, Concealed Fixing, White

NESMRCW

5 PACK




Surface Mount Reed Switch, Concealed Fixing, Screw Connect, White

NESMRSW



Surface Mount Reed Switch, Terminal Screw Mounted, White

NESMRTW



Surface Mount Reed Switch, White

NESMRW



Surface Mount Reed Switch, Black

NESMRB



Surface Mount METAL Reed Switch, FLAT, 480mm Armour cable

NESMRMFA



Surface Mount METAL Reed Switch, BEVELLED, 480mm Armour cable

NESMRMBA



Roller Door Reed Switch Kit 380mm Fly Cable

NERDMR

EXIT BUTTONS

We proudly stock a wide range of Neptune Exit Buttons and Switches with a variety of actuators to suit different applications, including dome, flat button and infrared touchless. The perfect addition to any access control solution, regardless of size.

See how Neptune touchless exit buttons can make your building safer and more hygienic for everyone.



Watch the video at neptunesecurityproducts.com.au



0.9 MM THICK



DURESS Mushroom Button
ANSI, NO/NC/C

NEDLANCBMR

0.9 MM THICK



Emergency Mushroom Lockdown
ANSI, NO/NC/C

NEEANCBMR

1.7 MM THICK



Emergency Mushroom Lockdown
ANSI, NO/NC/C

NEEANCSMR

IP65



1.7 MM THICK



Emergency Dome Lockdown
ANSI, NO/NC/C

NEEAWNCSDR

EXIT BUTTONS

1.7 MM THICK 



Latching Exit Button
ANSI, NO/NC/C
NEPLANCSMR

0.9 MM THICK 



Exit Mushroom Button
ANSI, NO/NC/C
NEPANCBMR

IP65 
1.7 MM THICK 



Exit Dome Button
ANSI, NO/NC/C
NEPAWNCSDR

1.7 MM THICK 



Exit Mushroom Button
ANSI, NO/NC/C
NEPANCSMR

IP65 
1.7 MM THICK 



Exit Mushroom Button
ANSI, NO/NC/C
NEPAWNCSMG

IP65 
1.7 MM THICK 



Exit Mushroom Button
Mullion Mount, NO/NC/C
NEPMWNCSMG

0.9 MM THICK 



Exit Mushroom Button
ANSI, NO/NC/C
NEPMNCBMG

1.7 MM THICK 



Exit Mushroom Button
ANSI, NO/NC/C
NEPANCSMG

IP65 
1.7 MM THICK 



Exit Dome Button
ANSI, NO/NC/C
NEPAWNCSDG

EXIT BUTTONS

IP65



1.7 MM THICK



Exit Flat Button
ANSI, NO/NC/C

NEPAWNCSFEG

IP65



1.7 MM THICK



Push to Open Flat Button
ANSI, NO/NC/C

NEPAWNCSFOG

IP65



1.7 MM THICK



Exit Flat Button
ANSI, NO/NC/C

NEPAWNCSFPG

IP65



1.7 MM THICK



Exit Button (Active All Areas)
ANSI, NO/NC/C

NEPAWNCSHESP

IP65



1.7 MM THICK



Exit Button (Active All Areas)
ANSI, NO/NC/C

NEPAWNCSHOSP

IP65



1.7 MM THICK



Exit Button (Active All Areas)
ANSI, NO/NC/C

NEPAWNCSHPSP

0.9 MM THICK



Press to Exit Button
Mullion Mount, NO/C

NEPMNOB

0.9 MM THICK



Press to Exit Button
ANSI, NO/C

NEPANOB

1.7 MM THICK



Press to Exit Button
Mullion Mount, NO/NC/C

NEPMNCS

EXIT BUTTONS

1.7 MM THICK 



**Press to Exit Button
ANSI, NO/C**
NEPANOS

1.7 MM THICK 



**Press to Exit Button
Mullion Mount, NO/C**
NEPMNOS

LED 
0.9 MM THICK 



**Press to Exit Button
ANSI, NO/NC/C**
NEPACLB

IP55 
LED 
1.7 MM THICK 



**Press to Exit Button
ANSI, NO/NC/C**
NEPAWCLS

IP55 
LED 
1.7 MM THICK 



**Press to Exit Button
Mullion Mount, NO/NC/C**
NEPMWCLS

LED 
0.9 MM THICK 



**Press to Exit Button
Mullion Mount, NO/NC/C**
NEPMCLB

LED 
0.9 MM THICK 



**Touch to Exit Button
ANSI, NO/NC/C**
NETACLB

LED 
1.7 MM THICK 



**Touch to Exit Button
ANSI, NO/NC/C**
NETACLS

LED 
0.9 MM THICK 



**Touch to Exit Button
Mullion Mount, NO/NC/C**
NETMCLB

LED 
1.7 MM THICK 



**Touch to Exit Button
Mullion Mount, NO/NC/C**
NETMCLS

TOUCHLESS EXIT BUTTONS



Neptune Security Products offer a range of Touchless exit buttons.

Supplied in ANSI or Mullion fitting options and with surface mounting boxes available, the Neptune Touchless exit button range provides a solution for many different applications.

The touchless sensor is adjustable and provides a read range of 5-15mm.

The Neptune Security Products Touchless exit buttons are tested to 100,000 operations and are backed by a 3-year warranty.

LED	
-20°C~ + 55°C TEMP	
8 CM RANGE	
12V POWER	
<p>Touchless Sensor Exit Button NENACL5</p>	

LED	
-20°C~ + 55°C TEMP	
8 CM RANGE	
12-24V POWER	
<p>Touchless Exit Button NENACLBD</p>	

LED	
-20°C~ + 55°C TEMP	
8 CM RANGE	
12V POWER	
<p>Touchless Sensor Mullion Mount Exit Button NENMCLB</p>	

LED	
-20°C~ + 55°C TEMP	
8 CM RANGE	
12V POWER	
<p>Touchless Sensor Exit Button NENACL6</p>	

LED	
-20°C~ + 55°C TEMP	
8 CM RANGE	
12V POWER	
<p>Touchless Sensor Mullion Mount Exit Button NENMCLS</p>	

TOUCHLESS EXIT BUTTONS

MATT BLACK TOUCHLESS BUTTONS

Neptune Security Products have introduced a slick new range of Touchless Exit Buttons in Matt Black.

The new range is available in Mullion and ANSI style options, have a 500,000 tested mechanical life, 304 stainless steel and an LED indicator light:

Blue LED Indicator (Standby)
Green LED Indicator (Sensation)

LED

-20°C ~ +55°C
TEMP

3-15 CM
RANGE

12-24V
POWER



**Touchless Exit Button
NO/NC/C
NENACLDBB**

LED

-20°C ~ +55°C
TEMP

3-15 CM
RANGE

12-24V
POWER



**Touchless Exit Button
NO/NC/C
NENACLADB**

IP65 TOUCHLESS EXIT BUTTONS

In the current environment and the “new normal”, touchless solutions are becoming the preferred option.

In addition to the new range of Matt Black buttons, Neptune Security Products have added four new IP65 Touchless Infrared Exit Buttons to the range.

All the exit buttons have adjustable trigger state from 0.5- 30sec or toggle mode output and an LED indicator light - Red LED Indicator (Standby), Green LED Indicator (Action).
Colour can be reversed.

IP65

LED

4-15 CM
RANGE

12-24V
POWER



**Touchless Exit Button
NO/NC/C
NEITB25W**

IP65

LED

4-15 CM
RANGE

12-24V
POWER



**Touchless Exit Button
NO/NC/C
NEITB98W**

IP65

LED

4-15 CM
RANGE

12-24V
POWER



**Touchless Exit Button
NO/NC/C
NEITB58W**

IP65

LED

4-15 CM
RANGE

12-24V
POWER




**Touchless Exit Button
NO/NC/C
NEITB68W**

POWER SUPPLIES

Neptune Power Supplies offer “great value for money”. They are supplied in a black metal case with key lock, AC power cord that plugs neatly into the side of the unit, battery charging connection, and on the 5AMP version, front mounted LED’s to give easy reference for the state of the power supply.

Neptune Power Supplies are fully tested to meet Australian Standards.



FOBS

OVERMOULDED PEAR FOB

EM 125khz Overmoulded Pear Fob, Grey NEEMOPFGY



Also Available:

NEEMOPFBK	Black	NEEMOPFOR	Orange
NEEMOPFBL	Blue	NEEMOPFY	Yellow

HID 125khz Overmoulded Pear Fob, Orange NEEMOPFOR



Also Available:

NEHIDOPFBK	Black	NEHIDOPFGY	Grey
NEHIDOPFBL	Blue	NEHIDOPFY	Yellow

Mifare 125khz Overmoulded Pear Fob, Black NEEMOPFBK



Also Available:

NEMFOPFY	Yellow	NEMFOPFGY	Grey
NEMFOPFBL	Blue	NEMFOPFOR	Orange

CARDS

HID 125kH ISO Card B&W Print 1 Side with Slot Punch Guides

NEHIDISOBWPM



Also Available:

NEHIDISOC1PM Colour

HID 125kH ISO Card B/W Print 1 Side

ACEMISOBW



Also Available:

ACEMISOC1	Colour, 1 Side
ACEMISOC2	Colour, 2 Sides

HID 125kH ISO Card Colour Print 1 Side

ACHIDISOC1



Also Available:

ACHIDISOBW	B&W, 1 Side
ACHIDISOC2	Colour, 2 Sides

HITAG2

NXP HITAG 2 Clamshell Card

NEHT2XCLCD



NXP HITAG 2 ISO Card

NEHT2XISO





iClass Silicone Wristband, Light Blue, Medium

ACICSWLBM



Also Available:

- ACICSWDBXL Dark Blue, Extra Large
- ACICSWBLKL Black, Large
- ACICSWBLKXL Black, Extra Large
- ACICSWDBL Dark Blue, Large
- ACICSWYM Yellow, Medium

Silicone Wristband, Mifare S50 1k, Black, Medium

NEWBMFBKM



Also Available:

- NEWBMFBKL Black, Large
- NEWBMFBKXL Black, Extra Large
- NEWBMFDBM Dark Blue, Medium
- NEWBMFDBL Dark Blue, Large
- NEWBMFDBXL Dark Blue, Extra Large

Silicone Wristband, HID Format, T5577, Black, Extra Large

NEWBHIDBXXL



Also Available:

- NEWBHIDBKM Black, Medium
- NEWBHIDBKL Black, Large
- NEWBHIDDBLM Dark Blue, Medium
- NEWBHIDDBLL Dark Blue, Large
- NEWBHIDDBLXL Dark Blue, Extra Large



View our new Neptune website to see our product range & download datasheets

neptunesecurityproducts.com.au